Amendments to the claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A compound of formula (I):

$$R^1$$
 R^2

(I)

wherein

A is a fused 5-membered heteroaryl ring substituted by -(CH₂)_maryl or -(CH₂)_mheteroaryl wherein the aryl or heteroaryl is optionally substituted by one or more substituents independently selected from oxo, C₁₋₆alkyl, halogen, -CN, trifluoromethyl, -OR³, -(CH₂)_nCO₂R³, -NR³R⁴, -(CH₂)_nCONR³R⁴, -NHCOR³, -SO₂NR³R⁴, _NHSO₂R³ and -S(O)_pR³, and

A is optionally further substituted by one substituent selected from -OR 5 , halogen, trifluoromethyl, -CN, -CO $_2$ R 5 and C $_{1-6}$ alkyl optionally substituted by hydroxy;

R¹ is selected from methyl and chloro;

 R^2 is selected from -NH-CO-R⁶ and -CO-NH-(CH₂)_q-R⁷;

 $\rm R^3$ is selected from hydrogen, -(CH₂)_r-C₃₋₇cycloalkyl, -(CH₂)_rheterocyclyl, -(CH₂)_raryl, and C₁₋₆alkyl optionally substituted by up to two substituents independently selected from -OR⁸ and -NR⁸R⁹,

 ${\rm R}^4$ is selected from hydrogen and ${\rm C}_{1\text{-}6}$ alkyl, or

 ${
m R}^3$ and ${
m R}^4$, together with the nitrogen atom to which they are bound, form a 5-or 6-membered heterocyclic ring optionally containing one additional heteroatom selected from oxygen, sulfur and N-R 10 ;

 ${
m R}^5$ is selected from hydrogen and ${
m C}_{1\text{-}6}$ alkyl;

 R^6 is selected from hydrogen, $C_{1\text{-}6}$ alkyl, - $(CH_2)_q$ - $C_{3\text{-}7}$ cycloalkyl, trifluoromethyl, - $(CH_2)_s$ heteroaryl optionally substituted by R^{11} and/or R^{12} , and - $(CH_2)_s$ phenyl optionally substituted by R^{11} and/or R^{12} ;

 R^7 is selected from hydrogen, $C_{1\text{-}6}$ alkyl, $C_{3\text{-}7}$ cycloalkyl, -CONHR 13 , phenyl optionally substituted by R^{11} and/or R^{12} , and heteroaryl optionally substituted by R^{11} and/or R^{12} :

 R^8 and R^9 are each independently selected from hydrogen and C_{1-6} alkyl; R^{10} is selected from hydrogen and methyl;

 R^{11} is selected from C₁₋₆alkyl, C₁₋₆alkoxy, -(CH₂)q-C₃₋₇cycloalkyl, -CONR $^{13}\mathrm{R}^{14}$, -NHCOR 14 , halogen, -CN, -(CH₂)tNR $^{15}\mathrm{R}^{16}$, trifluoromethyl, phenyl optionally substituted by one or more R^{12} groups, and heteroaryl optionally substituted by one or more R^{12} groups;

 R^{12} is selected from $\rm C_{1-6}$ alkyl, $\rm C_{1-6}$ alkoxy, halogen, trifluoromethyl, and -(CH₂)_tNR $^{15}R^{16};$

 $\rm R^{13}$ and $\rm R^{14}$ are each independently selected from hydrogen and $\rm C_{1\text{-}6}$ alkyl, or

 R^{13} and R^{14} , together with the nitrogen atom to which they are bound, form a 5- or 6-membered heterocyclic ring optionally containing one additional heteroatom selected from oxygen, sulfur and N-R¹⁰, wherein the ring may be substituted by up to two C_{1-6} alkyl groups;

 $\rm R^{15}$ is selected from hydrogen, C $_{1\text{-}6}$ alkyl and -(CH $_2$) $_q$ -C $_3$ -7 cycloalkyl optionally substituted by C $_{1\text{-}6}$ alkyl,

 R^{16} is selected from hydrogen and C_{1-6} alkyl, or

 R^{15} and R^{16} , together with the nitrogen atom to which they are bound, form a 5- or 6-membered heterocyclic ring optionally containing one additional heteroatom selected from oxygen, sulfur and N-R¹⁰;

X and Y are each independently selected from hydrogen, methyl and halogen; m, n, p and q are each independently selected from 0, 1 and 2;

r and s are each independently selected from 0 and 1; and

t is selected from 0, 1, 2 and 3;

with the proviso that when A is substituted by $-(CH_2)_m$ heteroaryl and m is 0, the $-(CH_2)_m$ heteroaryl group is not a 5-membered heteroaryl ring optionally substituted by C_{1-2} alkyl;

or a pharmaceutically acceptable [[derivative]] salt thereof.

2. (Previously Presented) A compound according to claim 1 wherein A is a fused 5-membered heteroaryl ring containing up to two heteroatoms independently selected from oxygen and nitrogen.

- 3. (Previously Presented) A compound according to claim 1 wherein R¹ is methyl.
- 4. (Previously Presented) A compound according to claim 1 wherein R^2 is -CO-NH-(CH₂)_q- R^7 .
- 5. (Previously Presented) A compound according to claim 1 wherein A is substituted by -(CH₂)_mheteroaryl wherein the heteroaryl is a 5- or 6-membered heteroaryl ring containing up to two heteroatoms independently selected from oxygen and nitrogen.
- 6. (Previously Presented) A compound according to claim 5 wherein the heteroaryl is optionally substituted by one or two substituents independently selected from oxo, C₁₋₆alkyl, halogen, -OR³, -NR³R⁴ and -(CH₂)_nCONR³R⁴.
- 7. (Previously Presented) A compound according to claim 6 wherein the heteroaryl is substituted by one or two substituents independently selected from oxo and C_{1-6} alkyl.
- 8. (Previously Presented) A compound according to claim 1 wherein A is substituted by -(CH₂)_maryl wherein the aryl is phenyl.
- 9. (Previously Presented) A compound according to claim 8 wherein the aryl is substituted by one or two substituents independently selected from C_{1-6} alkyl, halogen, -CN, trifluoromethyl, -OR³, -NR³R⁴, -(CH₂)_nCONR³R⁴ and -S(O)_nR³.
- 10. (Previously Presented) A compound according to claim 1 wherein X is hydrogen or fluorine.
- 11. (Currently Amended) A compound according to claim 1 substantially as hereinbefore defined with reference to any one of Examples 1 to 82, or a pharmaceutically acceptable [[derivative]] salt thereof.
- 12. (Currently Amended) A compound selected from: *N*-cyclopropyl-3-fluoro-4-methyl-5-(1-phenyl-1*H*-indazol-5-yl)benzamide; *N*-cyclopropyl-3-fluoro-5-[1-(4-fluorophenyl)-1*H*-indazol-5-yl]-4-methylbenzamide;

- *N*-cyclopropyl-3-fluoro-5-[1-(4-fluoro-2-methylphenyl)-1*H*-indazol-5-yl]-4-methylbenzamide;
- *N*-cyclopropyl-3-fluoro-4-methyl-5-{1-[4-(4-morpholinyl)phenyl]-1*H*-indazol-5-yl}benzamide;
- *N*-ethyl-3-fluoro-4-methyl-5-(1-phenyl-1*H*-indazol-5-yl)benzamide;
- N-(cyclopropylmethyl)-3-fluoro-4-methyl-5-(1-phenyl-1H-indazol-5-yl)benzamide;
- *N*-cyclopropyl-3-fluoro-4-methyl-5-{1-[4-(methylsulfonyl)phenyl]-1*H*-indazol-5-yl}benzamide;
- *N*-cyclopropyl-3-fluoro-4-methyl-5-(1-{4-[2-(methylamino)-2-oxoethyl]phenyl}-1*H*-indazol-5-yl)benzamide;
- *N*-cyclopropyl-3-[1-(4-{[2-(dimethylamino)ethyl]amino}phenyl)-1*H*-indazol-5-yl]-5-fluoro-4-methylbenzamide;
- *N*-cyclopropyl-3-fluoro-4-methyl-5-{1-[4-(tetrahydro-2*H*-pyran-4-ylamino)phenyl]-1*H*-indazol-5-yl}benzamide;
- *N*-cyclopropyl-3-fluoro-4-methyl-5-(1-{4-[(tetrahydro-2-furanylmethyl)amino]phenyl}-1*H*-indazol-5-yl)benzamide;
- *N*-cyclopropyl-3-(1-{4-[(2,3-dihydroxypropyl)amino]phenyl}-1*H*-indazol-5-yl)-5-fluoro-4-methylbenzamide;
- *N*-cyclopropyl-3-fluoro-4-methyl-5-{1-[(1-oxido-2-pyridinyl)methyl]-1*H*-indazol-5-yl}benzamide;
- N-ethyl-3-[3-(4-fluorophenyl)-1H-indazol-6-yl]-4-methylbenzamide;
- *N*-cyclopropyl-3-[3-(4-fluorophenyl)-1*H*-indazol-6-yl]-4-methylbenzamide;
- N-ethyl-4-methyl-3-{3-[4-(methyloxy)phenyl]-1*H*-indazol-6-yl}benzamide;
- *N*-cyclopropyl-4-methyl-3-{3-[4-(methyloxy)phenyl]-1*H*-indazol-6-yl}benzamide;
- N-(1-ethyl-1H-pyrazol-5-yl)-3-fluoro-5-[3-(4-fluorophenyl)-1H-indazol-6-yl]-4-methylbenzamide;
- N-ethyl-3-fluoro-5-{3-[4-fluoro-2-(methyloxy)phenyl]-1H-indazol-6-yl}-4-methylbenzamide;
- *N*-(1,4-dimethyl-1*H*-pyrazol-5-yl)-3-fluoro-5-[3-(4-fluorophenyl)-1*H*-indazol-6-yl]-4-methylbenzamide; [[and]]
- N-(1,4-dimethyl-1H-pyrazol-5-yl)-3-[3-(4-fluorophenyl)-1H-indazol-6-yl]-4-methylbenzamide;
- or a pharmaceutically acceptable [[derivative]] salt thereof.
- 13. (Currently Amended) A pharmaceutical composition comprising at least one compound according to claim 1, or a pharmaceutically acceptable [[derivative]] <u>salt</u> thereof, in association with one or more pharmaceutically acceptable excipients, diluents and/or carriers.

14. (Cancelled)

15. (Cancelled)

16. (Cancelled)

17. (Cancelled)

18. (Currently Amended/withdrawn) A process for preparing a compound of formula (I) according to claim 1, or a pharmaceutically acceptable [[derivative]] salt thereof, which comprises:

(a) reacting a compound of formula (II):

$$R^1$$
 R^2

(II)

in which R¹, R², X and Y are as defined in claim 1 and A¹ is an unsubstituted fused 5-membered heteroaryl ring with a halide derivative of formula (IIIA) or (IIIB):

$$Z-(CH_2)_m aryl$$
 (IIIA)

$$Z$$
- $(CH_2)_m$ heteroary l

(IIIB)

in which $-(CH_2)_m$ aryl and $-(CH_2)_m$ heteroaryl are as defined in claim 1 and Z is halogen,

in [[the]] presence of a base,

or, when A is substituted by $-(CH_2)_m$ aryl wherein m is 0, reacting the compound of formula (II) with a boronic acid compound of formula (IV)

$$(HO)_2B-(CH_2)_m$$
aryl (IV)

in which -(CH₂)_maryl is as defined in claim 1[[,]]:

(b) reacting a compound of formula (V):

$$A^2$$

(V)

in which A^2 is A as defined in claim 1 and Z^1 is halogen, with a compound of formula (VIA) or (VIB):

$$R^1$$
 R^2

(VIA)

<u>or</u>

(VIB)

in which R^1 , R^2 , X and Y are as defined in claim 1, in [[the]] presence of a catalyst;

(c) reacting a compound of formula (XVI) :

(XVI)

in which A, R^1 , X and Y are as defined in claim 1, with an amine compound of formula (XV) :

$$R^7$$
-(CH₂)_q-NH₂ (XV)

in which R^7 and q are as defined in claim 1, under amide forming conditions;

d) when A is a fused pyrazolyl, reacting a compound of formula (XVII):

(XVII)

in which R^1 , R^2 , X and Y are as defined in claim 1 and Z^3 is halogen, with a hydrazine derivative of formula (VIIIA) or (VIIIB):

(VIIIA)

<u>or</u>

 H_2NNH - $(CH_2)_m$ heteroaryl

(VIIIB)

in which $-(CH_2)_m$ aryl and $-(CH_2)_m$ heteroaryl are as defined in claim 1;

(e) reacting a compound of formula (XVIII) :

$$R^1$$
 R^2

(XVIII)

in which R¹, R², X and Y are as defined in claim 1 and A³ is a fused 5-membered heteroaryl ring substituted by halogen, with a suitable boronic acid derivative; or

(f) final stage modification of one compound of formula (I) as defined in claim 1 to give another compound of formula (I) as defined in claim 1.

19 (Previously Presented). A compound according to claim 2 wherein R¹ is methyl.

20. (Previously Presented) A compound according to claim 2 wherein R^2 is -CO-NH-(CH₂)_q-R⁷.

21. (Previously Presented) A compound according to claim 19 wherein R^2 is -CO-NH-(CH₂)_q-R⁷.

22. (Currently Amended) A pharmaceutical composition comprising at least one compound according to claim 12, or a pharmaceutically acceptable [[derivative]] salt thereof, in association with one or more pharmaceutically acceptable excipients, diluents and/or carriers.

23. (Withdrawn) The compound according to Claim 1 which is:

N-cyclopropyl-3-fluoro-4-methyl-5-{3-[4-(methyloxy)phenyl]-1,2-benzisoxazol-6-yl}benzamide;

N-cyclopropyl-3-fluoro-5-[3-(4-hydroxyphenyl)-1,2-benzisoxazol-6-yl]-4-methylbenzamide; or

3-fluoro-5-[3-(4-fluorophenyl)-1H-indazol-6-yl]-4-methyl-N-(1-methyl-1H-pyrazol-5-yl)benzamide; or a pharmaceutically acceptable salt thereof.